

**17L
4413F**

Renault Alaskan, Md. 2017

EU-pedestrian protection bar 60 mm with cross pipe 42 mm


EU-Personenschutzbügel 60 mm mit Querrohr 42 mm

Protection avant, homologuée CEE, 60 mm, traverse 42 mm



ASSEMBLY INSTRUCTION

Montageanleitung • Instructions de montage



50 Minuten


article no.:

17L4413F (S) inox


17L5413F black steel

Revision 3: 01.03.2021











17L4413.1F / 17L5413.1F



mounting kit: 17L9413F

	M8x30; ähnl.ISO 7380 A2	4x
	M6x20; DIN 933 Zn	4x
	M8x20; DIN 933 Zn	2x
	M8x25; DIN 933 A2	2x
	M12x55; DIN 933 Zn	1x
	M10; DIN 934 Zn	2x
	M12; DIN 934 Zn	1x
	Ø 6; DIN 127 Zn	4x
	Ø 8; DIN 127 Zn	2x
	Ø 8; DIN 127 A2	2x
	Ø 10; DIN 127 Zn	2x
	Ø 12; DIN 127 Zn	1x
	Ø 6,4; DIN 9021 Zn	4x
	Ø 8,4; DIN 9021 A2	2x
	Ø 8,4; DIN 9021 Zn	2x
	Ø 10,5; DIN 9021 Zn	2x
	Ø 13; DIN 9021 Zn	2x
	SW 13	2x



article no.:
17L4413F (S) inox
17L5413F black steel

Revision 3: 01.03.2021



